

# Clarifying Response Structure in Text Chat: References, Waves and Confusion

Mariano Pimentel<sup>1</sup>, Hugo Fuks<sup>2</sup> & Gerry Stahl<sup>3</sup>

<sup>1</sup> Department of Applied Informatics  
Federal University of State of Rio de Janeiro (UNIRIO)  
Av. Pasteur, 458, CCET – Zip 22290-240 - Rio de Janeiro - RJ - BRAZIL  
pimentel@unirio.br

<sup>2</sup> Department of Informatics  
Pontifical Catholic University of Rio de Janeiro (PUC-Rio)  
R. Marquês de São Vicente, 225 – Zip 22453-900 - Rio de Janeiro - RJ - BRAZIL  
hugo@inf.puc-rio.br

<sup>3</sup> College of Information Science & Technology  
Drexel University  
3141 Chestnut Street, Philadelphia, PA 19104 USA  
gerry@gerrystahl.net

## Abstract

*Online text chat has great potential for allowing small groups of people in school or at work to build knowledge and understanding together. However, chat participants often post in parallel, making it difficult to follow the conversational flow and to identify who is talking to whom about what. The loosely ordered succession of turns contributes to “response-structure confusion.” Parallel posting results in overlap of different topics; as a wave of discussion swells, another washes over it, causing ambiguity of linguistic references. Some chat environments implement tools to reduce the confusion. This paper presents an investigation into the effect of a graphical referencing tool for combating response-structure confusion. The paper documents the problem in a classroom setting and demonstrates the tool’s effectiveness in a research lab.*

**Keywords:** Chat Response-Structure, Chat Analysis Method, Chat tools

## 1. LET’S CHAT

Communication across networked computers allows people to work and learn together despite being geographically distributed. In particular, text chat supports small groups to communicate by typing short messages synchronously. This has the potential to pool the creativity and understanding of several individuals to produce “group cognition,” the collaborative building of knowledge through group interaction [1].

Conversation mediated by the chat tool is typically informal, providing a space for emotions and decreasing the feeling of impersonality. The situation in which several people talk at the same time makes it possible for the learner to better perceive herself as part of the group, minimizing the feeling of isolation that is notoriously identified as one of the main causes of disappointment in distance courses. The lively exchange of messages among participants and the de-emphasis of expositive content lead to the displacement of the teacher as a controlling authority,

who directs all discourse and assesses all knowledge. This creates opportunities for new forms of teaching and learning that represent alternatives to traditional instructional classroom models. These characteristics make learners regard chat sessions as interesting activities in online courses [2].

Unfortunately, chat conversation also has some characteristics that make it difficult to follow. If several people are posting in parallel and some are contributing to a wave of ideas on one topic while others are discussing other topics, the various waves will crash into each other, interfere and cause confusion. This well-known problem has been variously referred to in the literature as “chat confusion,” “chaotic flow of conversation,” “mutual interactional incoherence” or “lack of coherence and understanding” [3][4][5][6][7].

Participants in educational chat sessions frequently mention chat confusion. Interviewees typically complain about: the large number of participants talking at the same time; message overload; and parallel conversations. The mixing of messages on different topics causes participants to experience context loss [8]. Then confusion moves in; learners report that a high level of attention is required to follow the conversation and that they feel disorientated, anguished, anxious and tired.

Chat conversation is particularly difficult to follow for beginner chatters. Over time chatters develop strategies that enable them to follow the conversation, such as: focusing on the messages addressed to oneself, on those from people with whom the chatter prefers to talk, and on those from the moderator; trying to pay attention to one subject at a time; and trying not to repeat what others have already said. These strategies point to the fact that over time users acquire experience and learn how to better interact, rendering the confusion less disturbing. On the other hand, these participation strategies also make it evident that there is an added effort that could be avoided if the confusion did not occur in the first place. Ideally, chatters should feel excitement and interest without also feeling disorientation, anguish, anxiety and fatigue.

In face-to-face conversation, texts are connected sequentially and linearly by explicit and implicit references to each other. In text chat, these references may be inadequate and require special mechanisms or extensive repair interactions [9]. Unfortunately, posting texts in parallel tends to intersperse threads of discussion and cause confusion concerning the references among postings, which are essential for making sense.

One mechanism for avoiding chat confusion was pioneered in ConcertChat [10] and explored in the Virtual Math Teams (VMT) Project [11]. The mechanism allowed chat participants to connect their postings to previous chat postings or other items by means of an arrow representing an explicit reference. In order to assess the effectiveness of this mechanism in reducing text chat, this paper reviews the use of the mechanism in a set of VMT chats. This set involved the VMT staff, researchers and colleagues in a series of weekly chats about their academic papers on the project. These chats involved the largest groups of users in the VMT data corpus, making them particularly interesting for observing chat confusion from interference of messages posted in parallel.

This paper will proceed by (1) discussing the nature of text chat, (2) considering how overlapping waves of different topics cause confusion in a university course setting, (3) reviewing ways in which chat references can be identified, (4) analyzing the use of the reference mechanism in VMT and (5) concluding about the effectiveness of this mechanism.

## 2. RESPONSE-STRUCTURE CONFUSION

This section discusses the phenomenon of response-structure confusion: its causes, its manifestation and mechanisms that could reduce it. Before turning to VMT logs, we will consider in this section examples of chat sessions that originate from the 20 editions of an online course entitled Information Technology Applied to Education (ITAE)[12]. Analyses of logs of the ITAE 2000.1 edition (1st semester of 2000), which used the typical chat tool of the AulaNet LMS [13][14][15] are presented. In these chat sessions, hour-long educational debates were conducted with 9 participants, discussing the subjects studied during that week in the ITAE course [16].

### 2.1. CAUSES

From text that is “linear” and “well organized,” as generally is the case in books, articles and magazine texts, one expects threading, concatenation, sequencing of information and cohesion [5][17][18]. Although a given text may be more than a mere chain of enunciations, it is this chaining that provides for a more legible text. Unlike linear and well-organized text, text from a chat session is non-linear. The majority of the messages are not related to the previous message. The high degree of non-linearity in a chat conversation is considered the main cause of response-structure confusion.

Moreover, in a chat conversation, even the discussion of subjects is non-linear. Subjects in a chat

conversation behave like waves. Participants start to discuss a subject—represented as a wave—which gains momentum until it reaches a peak, and then it tapers down until a new subject wave predominates, displacing the previous one. These waves are illustrated by the diagram presented in Figure 1. As the subjects are discussed in parallel and alternately, there is a confluence of waves.

linearity is the only cause of confusion in chat conversation. There are other known problems: lack of links among people and what they say; lack of visibility of turns-in-progress; flooding, overloading and gusting (sudden pouring) of messages; lack of useful recordings and social context; anonymity and flaming; and various other problems [19][20][21].

Despite our focus here, we do not claim that non-




Figure 1: Chat Subject Waves

## 2.2. MANIFESTATION

Response-structure confusion is the difficulty in identifying to which previous message each chat message is responding. Eventually, a participant may manifest her confusion in the conversation by posting a message where she states her discomfort in following the conversation, or asks for the sender to confirm or disambiguate her inference. Another way to identify the manifestation of confusion is when the chatter wrongly infers a chaining and another chatter clarifies the misunderstanding. Messages 31 and 167 from Log 1 are manifestations of confusion.

Line	Nick	Message
30	Liane	I believe that it is just the contrary, that groupware can help in the authoring process since it can facilitate the communication process among members of a team
31	Homero	Contrary to what, Liane, I'm lost
...	...	...
166	Liane	I agree...
167	Marcelo	with what, Liane?

Log 1. Co-text Loss Manifestations

Counting the incidents that could be identified as manifestations of response-structure confusion is a

very rough way of measuring the problem. The manifestations seem to indicate only the tip of the iceberg—not every doubt or confusion is textually acknowledged by the participants.

## 2.3. MECHANISMS

Chat threading mechanisms have the potential for reducing confusion. Most chat tools do not have a mechanism for establishing references among messages. A few tools such as ThreadedChat [21], HiperDialog [22] and MuViChat [23] structure the discourse in a tree, forcing chatters to indicate always to which previous messages their current message is an answer as in forums [24].

ConcertChat—which was adopted by and adapted for VMT—offers an optional mechanism for referencing messages. It is an intermediate solution between tools with no referencing and tools where referencing is enforced. The chatter may decide not to establish an explicit reference. However, the chatter may establish an explicit reference to a previous whole message, to a text fragment, to an area of the graphical workspace or even to several references from the new message. Figure 2 shows two different uses of the ConcertChat referencing mechanism.




Figure 2: Explicit References to a Message and to the Workspace in the VMT Interface

### 3. ANALYSIS METHOD

In this section, strategies we developed to analyze chat sessions are introduced. The corpus of analysis of this work took place through the VMT environment. They comprised a total of 12 sessions. On average, in each session 365 messages were exchanged, 221 of them being identified as discussion messages. The discussion part of the chat sessions took an average of 1 hour and 11 minutes. An average of 9 people associated with the VMT Project joined in the discussion session. Their objective was to discuss ways to enhance their academic papers.

The first step of the response-structure analysis method is to isolate the messages that are relevant for the analysis, classifying log messages in types, namely: system messages, pre-discussion messages, discussion messages and post-discussion messages. System messages announce the participants who are joining or leaving the chat session. Pre-discussion messages are exchanged before the “real thing” starts and include all sorts of greetings; the same is true for post-discussion messages at the end of the session, where participants say good-bye. Discussion messages deal with the subject being discussed, including coordination messages and jokes. The data analyzed in the next sections only considers the discussion messages.

After isolating the discussion messages, the next step is to get the response structure. For each message, we identified which previous message it takes up. This establishes a chain (not necessarily sequential) of messages. VMT chat offers a referencing mechanism that allows chatters to explicitly reference a previous message. However, given that the use of this mechanism is optional, there are non-referenced messages in the log, leaving the job of inferring references to the reader or analyst. The strategies described below help the reader to infer these references. The mapping of all the response structure of a chat session is necessary in order to carry on with the confusion investigation.

In Figure 3 from the chat on Stefan’s paper, solid arrows represent the explicit references established by the chatters, while the dotted arrows represent the references inferred by the reader. For example, in message 65 Stefan uses the referencing mechanism to link his message to message 58 in response to Nan’s questioning. On the other hand, message 59 posted by Wes also refers to Nan’s message 58, but given that Wes made no use of the referencing mechanism, the relation had to be inferred by the reader from the content of Wes’ message, which began by explicitly addressing Nan.




Figure 3: Explicit and Inferred References

The reader should consider the following strategies in order to infer references among messages: recency analysis, cohesion analysis, turns and conversational sequences analysis, subject analysis, context analysis and coherence analysis [25].

### 3.1. RECENCY ANALYSIS

Usually chatters tend to answer more recent messages. Normally, most messages are related to

messages posted not longer than 2 minutes earlier; they rarely answer messages 5 minutes old [22]. On the other hand, a regular chatter needs some time to read a message and type a response: it might take 30 seconds to enter a turn [26]. Therefore, it is quite improbable that a paragraph-long message is related to a previous message that is just 10 seconds old. These recency patterns guide the reader in trying to infer the referencing of a message to messages posted in the

previous time interval ranging from 10 seconds to 5 minutes. For example, the reader should not consider message 59 when trying to infer message 60's referencing, for it was posted only 1 second before. He should also refrain from considering messages before message 33, itself older than 5 minutes. It is probably the case that message 60 is related to messages within the 54 to 58 scope given their recency.

### 3.2. COHESION ANALYSIS

Looking for grammatical and lexical links between messages is another strategy that should be pursued by the reader. Cohesive devices are employed by chatters when preparing messages. In Log 2, the expression "the idea of voices" that appears in message 58 is repeated in message 65, constituting a lexical cohesion [17] that helps the reader to infer a referencing between them.

58	15:07:41	Nan	i have some trouble understanding <u>the idea of voices</u> , that what they really mean to capture
65	15:09:22	stefan	<u>the idea of considering voices</u> and polyphony is offering a model that can be used for analysing how is meaning made

Log 2. Lexical Cohesion

### 3.3. TURNS AND CONVERSATIONAL SEQUENCES ANALYSIS

In the basic dialog model, interlocutors wait for their turn to speak [18][27][28]. In a face-to-face conversation going on between more than two persons, a common conversation coordination mechanism is to look to the person to whom the answer is addressed. When many persons are chatting, it is common to write in the responding message the addressee's name (handle or nickname), as exemplified in Log 3.

33	15:03:30	gerry	[Stefan] do you want to make an opening statement about your paper?
44	15:04:34	stefan	thank you [Gerry] after entering I read the text on the whiteboard

Log 3. Lexical Cohesion

Another way to infer the reference between messages is to identify conversational sequences (adjacency pairs) where one turn or message leads to another, like: question → answer; invitation → acceptance or refusal; greeting → greeting; challenge → justification etc. In the example presented in Log 3, it is expected that after Gerry offers the floor to Stefan to open the discussion, Stefan will react to it by posting a message.

It is likely in a chat conversation that the sequence of messages exchanged between two chatters will be

separated by unrelated messages. The more active participants there are the more likely this is to occur. The reader should look for a previous sequence of messages from the same pair of chatters, as exemplified in Log 4, which shows an example of a two-person dialog embedded within a many-persons chat.

58	15:07:41	Nan	i have some trouble understanding the idea of voices, that what they really mean to capture
59	15:08:37	wes	Not sure I understand your question nan
61	15:08:46	Nan	i couldn't find where this concept is explained in the paper and i had to wonder by myself
62	15:08:57	wes	ah

Log 4. Pair of chatters dialoging

Monologs are also quite common in chats: the same chatter sends message after message fostering a "long turn" like the one in Log 5. This is a consequence of message recency, for it might be better to post 2 or 3 short messages than take the time to write a long elaborate message and risk that the chat context will change substantially in the meantime. Therefore, the reader should also look to the same chatter's previous messages in order to infer references.

56	15:06:37	cprose	i have to say, I agree with Alan's comments
60	15:08:38	cprose	i would think if anything, dissonance should be related to the idea of socio-cognitive conflict, which would be a good thing rather than a negative thing
66	15:09:22	cprose	i am also wondering - what does this analogy really buy us? does it allow us to see some important pattern we didn't already know about?

Log 5. Monolog of cprose

### 3.4. SUBJECT ANALYSIS

Normally, when answering a message, chatters stick to the same subject or write something related to it. During a conversation, a subject unfolds until it is finished, abandoned or drifts off into a different subject. In Figure 4 (data from Figure 3), it is possible to identify groups of messages related to the same subject. The reader should consider messages dealing with the same subject when looking for references.




Figure 4: Grouping Subjects

### 3.5. CONTEXT ANALYSIS

In order to infer references, sometimes the reader has to make use of information that is not within the log. VMT offers a whiteboard where chatters can pose and share information related to the session, but which does not appear typed in the chat. Eventually, this information makes its way into the chat conversation—as is the case of messages 44, 54, 56 and 57 in Figure 3, where chatters discuss Gerry's and Alan's whiteboard comments. This contextual information helps the reader in inferring references.

### 3.5. COHERENCE ANALYSIS

In order to infer references among messages, coherence has to be investigated: the reader should

question whether a message makes sense as being a response to another one. The conversation is expected to make sense, unfolding in a sound way. Consistency, relevance, linguistic elements, etc., should be considered when looking for coherence.

All these strategies help the reader to infer references among messages. Nevertheless, sometimes this inference is blurred by ambiguity causing the occurrence of response-structure confusion.

## 4. DATA ANALYSIS

In this section, the data are analyzed in order to investigate response-structure confusion, and particularly to check whether the use of the referencing mechanism implemented in VMT reduces confusion. The first step is to characterize how the mechanism was used based on its frequency of use. Next, a study of the profiles of different users regarding their use of the referencing mechanism is presented: some chatters establish references systematically in all the messages they write, while others almost never make use of the mechanism. Finally, a study of the occurrence of response-structure confusion is presented, indicating that there was confusion even with the use of the referencing mechanism in the VMT environment.

Table 1 synthesizes the data obtained from the chat sessions of the corpus under investigation regarding the use of the graphical referencing mechanism implemented in VMT.




Table 1. Data from the VMT Chat Analysis Workshop.

Session	Number of participants	Elapsed time of discussion	Number of discussion messages	Number of messages with explicit reference	Number of explicit references to text fragment	Number of messages with several explicit references	Number of messages with explicit reference to workspace
Nan Paper	11	1h 14min	199	115 (58%)	3	4	2
Ramon Paper	11	1h 11min	261	128 (49%)	6	2	1
Murat Paper	7	0h 42min	111	41 (37%)	2	3	2
Johann Paper	9	1h 24min	249	131 (53%)	19	2	1
Stefan Paper	11	1h 19min	311	166 (53%)	10	1	0
CheeKit Paper	10	1h 36min	203	136 (67%)	11	2	0
LizPaper	8	1h 17min	265	136 (51%)	5	0	0
Carolyn Paper	11	1h 09min	284	56 (41%)	0	3	1
Alan Paper	10	1h 19min	314	151 (48%)	13	2	1
Terry Paper	7	1h 19min	180	104 (58%)	4	1	1
Dan Paper	6	1h 22min	208	111 (53%)	9	0	0
Arthur Paper	4	0h 27min	69	42 (61%)	4	1	0
<b>Average</b>	8.8	1h 11min	221	110 (50%)	7.2	1.75	0.75

4.1. THE REFERENCING MECHANISM

The referencing mechanism was used in half of the messages (see column “Number of messages with explicit reference” of Table 1—this is the type of reference represented graphically by solid lines in Figure 3). This 50% average indicates that the referencing mechanism was widely used. From the logs’ analysis, it can be verified that the references between messages were established almost error-free.

The referencing mechanism is so useful for chatters that in many cases the reference established among the messages becomes an inalienable part of the discourse, i.e., the reference is used as a means of expression. For example, message 63 of Log 6 is better understood taking into consideration the reference established by Azemel to message 60. Had the reference not been established the message would have to be elaborated in a different way, something like: “cprose: good point” citing the name of the sender of the message being replied to; or “good point about dissonance” introducing cohesion devices.



Log 6. Referencing mechanism is used as a means of expression

From these data, one concludes that the referencing mechanism is implemented in such a way that it leads to correct usage, and that it is a desirable one because it was incorporated as a means of expression. The non-establishment of references in the other half of the messages seems to be a consequence of the chatters’ expression styles rather than of some problem with using the mechanism (see next section on chatter profiles).

In the VMT system, it is possible to reference a specific selection of text within a previous posting by highlighting that section when pointing to it. Log 7 and Log 8 illustrate this way of referencing. Regarding the use of the referencing mechanism for citing a text fragment in the body of another message, it was used on average in 7% of the established references—see column “Number of explicit references to text fragment” of Table 1.

371 17:38:31 azemel making time reference is not particularly interesting. how time reference is done sequentially in this kind of interaction space, vmt chat, with the persistence of text and wb objects, and the imposition of sequential order by servers, etc., is really interesting

...  
375 17:38:48 Jsarmi agree... completely

Log 7. Explicit references to text fragment

In Log 7 from the session on Johann’s paper, the following posting fragment is highlighted: “making time reference is not particularly interesting.” In Log 8 from Ramon’s paper, the single words “requires” and “Negotiation” are referenced.

189 15:41:23 dennysj Argumentation, I think requires opposing viewpoints. Negotiation may result in merging or even grafting together non-opposing but different positions.

...  
193 16:41:57 Jsarmi but this two things are different

Log 8. Two explicit references to text fragments

An average of 7% is considerable: it characterizes neither intensive nor low use. However, when analyzing the citation-references, one can conclude that some were established as a result of errors in using the referencing mechanism: the objective was to establish the reference for the whole message, but in the referencing mechanics by mistake some random part of the message was selected. These malformed citations are exemplified in Log 9 of Johann’s paper.

150 16:33:50 murat I know how hard it is to incorporate graphical stuff to analysis, but it is really a vital resource

151 15:34:02 azemel indeed

Log 9. Reference established to a text fragment instead of the whole message

From these data and its analyses, one concludes that the citation referencing is desirable and useful for chatters, as it was used properly and frequently. However, the mechanics of citation referencing occasionally leads chatters to committing mistakes.

Regarding referencing to the workspace—see column “Number of messages with explicit reference to the workspace” of Table 1—this mechanism was used no more than twice per session. This apparent low use of the mechanism is not an indication of its uselessness. It was observed that the mechanism was correctly and continuously used throughout the sessions—it enables the integration between the chat conversation and the workspace objects. The sessions analyzed here were not math problem-solving sessions, as is typically the case for which the VMT system with whiteboard was designed. These were discussions of papers that were not displayed in the system, and the whiteboard was only minimally used.

The possibility of establishing multiple references originating from a single message, such as in message 193 of Log 8, was used in less than 1% of the messages—see column “Number of messages with several explicit references” of Table 1. The very low use of this mechanism and the decrease in its application throughout the chat sessions indicate that referencing multiple messages is not normally useful (or well understood, or easy to accomplish). Establishing a single reference per message seems to be enough in a chat conversation. It is not clear whether the very low use justifies the increase in the complexity of the user interface and of the conversation structure.

#### 4.2. CHATTERS’ PROFILES

Given that the use of VMT’s referencing mechanism is optional, it is possible to identify different profiles regarding referencing. It is striking that some participants use it with full intensity while others practically do not use it at all. Three types of chatters were identified:

- **Intensive:** establish references in most of their messages;
- **Occasional:** establish references in some of their messages;
- **Low:** rarely establish references in their messages.

It is not a matter of learning how to use the mechanism. Chatters tend to keep the same pattern of referencing usage throughout several chat sessions, indicating that this is an individual expression style. Intensive users choose to reference most of their message. Occasional and low users choose to reference in specific situations, like when they anticipate ambiguity, want to discuss an old message or need to be explicit about some previous message.

A distinguished feature of VMT’s referencing mechanism is that it suits different types of chatters. Some prefer not to use it at all and are probably happy enough to have messages showing just in chronological order with no other apparent structure. Others rather need to establish references in order to clearly express themselves and find comfort in tree-like structures forced by threading tools. VMT’s referencing mechanism does not force any single expression style, suiting everybody.

#### 4.3. CONFUSION MANIFESTATION

Unlike previous research [29], in this chapter there is no comparison of conditions with and without a referencing mechanism. Here, the aim is not to prove that such a mechanism reduces confusion, but to check

whether confusion takes place even when VMT's referencing mechanism is being used.

It is reasonable to believe that there is less chance of having confusion when using VMT's referencing mechanism compared to when using other chat tools that do not let chatters establish references between messages because a reader does not have to infer the main reference of messages whose authors establish the link.

However, it is unreasonable to believe that just by using the VMT tool no confusion will take place—particularly given that the use of the referencing mechanism is optional. When the reference is not established by the author, the reader has to infer what previous message is being answered. Moreover, when the reader does not pay attention to the established reference or when it is wrongly established, it may give way to confusion.

As a matter of fact, some evidences of confusion were found in the VMT corpus. For example, in Log 10 (on Stephan's paper), after CPRose declared in message 267 "i don't understand denny's question above," Dennysj could not identify which of his

messages above was being cited and manifested confusion in message 270: "Which question?" Faced with Dennysj's manifestation, CPRose used the referencing mechanism in messages 274 and 276 in order to point to Dennysj's cited message. Then, Dennysj's confusion is gone, and in message 283 he posts an explanation regarding the message that CPRose had not understood.

Had no confusion been manifested in Log 10, four messages—270, 274, 276 and 283—would not have been posted. These messages were needed to restore understanding in spite of disturbing the conversation flow and not developing the subject. This is probably what moved Gerry to post message 277: "Let's get back to Stefan's paper."

The confusion shown in Log 10 might have taken place because CPRose wrongly thought that Dennysj's message 260 was associated to one of her messages. Nevertheless, Dennysj's message was referencing Terry's message 252, and in spite of it, CPRose answers Dennysj in message 262 as if he was talking to her. A few moments later the coin finally drops and in message 267 she says, "then i don't understand denny's question above."

	Refs	Line	Time-stamp	Nick	Message
		248	3:49:06 PM	cprose	but i think transactivity is not something that needs to be recognized as such ina dialogue in order to serve its purpose
		...			...
		250	3:49:52 PM	gerry	some times it does, sometimes not
		251	3:50:10 PM	gerry	like now, most people feel they need to use the arrows
		252	3:50:19 PM	terry	i don't
		253	3:50:26 PM	cprose	for example, let's say we are agruing and you state a position and I argue against it
		254	3:50:28 PM	Jsarmi	do
		255	3:50:33 PM	murat	how would you characterize the implicit in the transactivity context? just curious
		256	3:50:48 PM	cprose	you may not recognize that my counter argument relates directly to your argument, but you do know that you disagree with what I said
		257	3:50:52 PM	cprose	so then you rgue against me
		258	3:51:14 PM	cprose	from the form of the discussion, it is not clear whether you recognized the relationship between your argument and my counter argument or not
		259	3:51:21 PM	cprose	the form of the discussion is the same in both cases
		260	3:51:26 PM	dennysj	You might use them if you think that the other participants may miss the link you want to make to another posting.
		261	3:51:39 PM	cprose	and an analyst may see transactivity there even if you didn't get the connection while the discussion was happening
		262	3:52:18 PM	cprose	deeny, true, but making sure someone sees the link or not may not be part of my goal
		...			...
		265	3:52:42 PM	gerry	When we analyze these chats, the question of what connections the participants "got" is not even a legitimate question
		266	3:53:21 PM	Jim	Why not ?
		267	3:53:29 PM	cprose	if that's true, then i don't understand denny's question above
		268	3:54:28 PM	gerry	Because, if we accept what Carolyn said, then there is no visible difference that can be observed
		269	3:54:46 PM	dennysj	Due to the nature of the chat environment, short of using several ways to point to my posting, there is no guarantee that my link is being paid attention to by other participants.
		270	3:55:22 PM	dennysj	Which question?
		271	3:55:25 PM	cprose	(I couldn't make the explicit pointer work for some reason...)
		272	3:55:59 PM	murat	double click on the target message
		...			...
		274	3:56:07 PM	cprose	look at 3:51:26pm
		275	3:56:08 PM	dennysj	Double click on the posting that you want to link to.
		276	3:56:36 PM	cprose	i guess it was not really a question so much as a comment
		277	3:56:59 PM	gerry	Let's get back to Stefan's paper
		...			...
		283	3:57:55 PM	dennysj	It was a reaction to Terry's comment and a way of emphasizing that participants use referencing to make explicit some linking that they want to clearly establish in some way.

Log 10. Co-text Loss manifestation in the VMT corpus

Only a few cases of response-structure confusion manifestation were identified in this corpus of analysis, probably due to the use of VMT's referencing mechanism. Nevertheless, one has to consider that these chatters are researchers in chat analysis and for that reason were more experienced than most people in following a chat conversation. Most were also quite experienced in using the

referencing mechanism. Perhaps, having other people as chatters, more confusion manifestations might take place given that VMT cannot prevent them from occurring by offering a mechanism for its reduction.

### 5. CONCLUSION

In this chapter the response-structure confusion

problem was presented. This problem derives from the difficulty in identifying which previous message is being taken up by a message in a chat conversation. When participants are unable to infer the unfolding of a conversation, have doubts regarding which previous message is being answered, or wrongly infer a referencing between messages, then co-text loss takes place. This problem is quite relevant when the chat session is for learning, for working or for supporting the enactment of some group dynamics that requires precise understanding of the chat conversation.

Response-structure confusion stems from the high non-linearity of chat conversation: most messages do not refer to the preceding one and the subjects that are being discussed are not chained linearly. In a chat session, different subjects are discussed at the same time, in parallel and alternately, fostering a confluence of subject waves. These chat characteristics bring confusion to the conversation, making it especially difficult to follow by novice chatters.

In order to properly follow the conversation, the reader has to infer the response structure. In this chapter the main strategies to help inferring this structure were presented. However, even for advanced chatters it is sometimes ambiguous and difficult to find out which previous message is currently being answered. For that reason, some chat tools offer mechanisms to let a chatter indicate the message to which they are responding.

VMT's referencing mechanism was investigated in this chapter. Based on evidence from the VMT corpus it is clear that the referencing mechanism was used considerably and was quite useful, especially for chatters who systematically used it in almost all or in many of their messages (intensive and occasional user profile). Even chatters who rarely used the mechanism (low-user profile), sometimes felt like using it for returning to a subject originated in a far away message, or for avoiding ambiguity and its potential for co-text loss.

When a participant explicitly indicates a reference, it lessens the chance of causing a co-text loss related to that reference. On the other hand, establishing the graphical reference is time consuming, makes the conversation somehow more formal, introduces undesirable hand movements, and is not prized by all chatters. Unlike threaded chat tools where all messages have to be in a thread, or chat tools that do not support graphical referencing, VMT's referencing mechanism is optional. Being optional, the mechanism suits a variety of chatters' profiles, even the typical non-user that scarcely deems it necessary. This way, it has the potential to reduce confusion without imposing

itself by forcing chatters to always explicitly indicate their references.

## ACKNOWLEDGMENTS

ConcertChat and its explicit referencing function were developed at Fraunhofer Gesellschaft IPSI by Wessner, Mühlpfordt and their colleagues; it is available as Open Source. The VMT data is available upon request. The papers discussed in the VMT chats were subsequently presented at CSCL 2007 and are published in [11]. Hugo Fuks is financed by an individual grant awarded by the CNPq National Research Council n° 301917/2005-1. He also receives a grant from FAPERJ project "Cientistas do Nosso Estado."

## REFERENCES

- [1] Stahl, G. Group cognition: Computer support for building collaborative knowledge. MIT Press, Cambridge, MA, 2006
- [2] Fuks, H., Pimentel, M., Lucena, C. J. P. R-U-Typing-2-Me? Evolving a chat tool to increase understanding in learning activities. In *International Journal of Computer-Supported Collaborative Learning (ijCSCL)*, 1(1), pages 117-142, 2006.
- [3] Thirunarayanan, M. O. Cutting down on chat confusion: A proposal for managing instructor-controlled chat systems. In *Ubiquity*, 1(38), 2000.
- [4] Garcia, A., Jacobs, J. B. The eyes of the beholder: Understanding the turn-taking system in quasi-synchronous computer-mediated communication. In *Research on Language and Social Interaction*, 34(4), pages 337-367, 1999.
- [5] Herring, S. Interactional coherence in cmc. In *Journal of Computer Mediated Communication*, 4(4), 1999.
- [6] O'Neill, J., Martin, D. Text chat in action. In *ACM Conference on Groupware (GROUP 2003)*, Sanibel Island, FL, 2003.
- [7] Cornelius, C., Boos, M. Enhancing mutual understanding in synchronous computer-mediated communication by training: In *Communication Research*, 30, 147-177, 2003.
- [8] Pimentel, M. G., Fuks, H., Lucena, C. J. P. Co-text loss in textual chat tools. In *Fourth International and Interdisciplinary Conference on Modeling and Using Context (CONTEXT 2003)*, Stanford, CA, pages 483-490, 2003.

- [9] Stahl, G. Supporting group cognition in an online math community: A cognitive tool for small-group referencing in text chat. In *Journal of Educational Computing Research (JECR) special issue on Cognitive tools for collaborative communities*, 35(2), pages 103-122, 2006.
- [10] Mühlpfordt, M., Wessner, M. Explicit referencing in chat supports collaborative learning. In T. Koschmann, D. D. Suthers & T.-W. Chan (eds.) In *Computer-supported collaborative learning 2005: The next ten years!* Taipei, Taiwan: Mahwah, NJ: Lawrence Erlbaum Associates, pages 460-469, 2005.
- [11] Stahl, G. (Ed.). Studying virtual math teams. New York, NY: Springer. Computer-supported collaborative learning book series, vol 11, 2009.
- [12] Fuks, H., Gerosa, M. A., Lucena, C. J. P. The development and application of distance learning on the internet. In *Open Learning - The Journal of Open and Distance Learning*, 17(1), pages 23-38, 2002.
- [13] Fuks, H. Groupware technologies for education in AulaNet. In *Computer Applications in Engineering Education*, 8(3 & 4), pages 170-177, 2000.
- [14] Fuks, H., Assis, R. L. Facilitating perception on virtual learningware-based environments. In *Journal of Systems and Information Technology*, 5(1), pages 93-113, 2001.
- [15] Lucena, C. J. P., Fuks, H., Raposo, A., Gerosa, M. A., & Pimentel, M. Communication, coordination and cooperation in computer-supported learning: The AulaNet experience. In F. M. M. Neto & F. Brasileiro (Eds.), *Advances in computer-supported learning*, pages 274-297, 2007.
- [16] Gerosa, M. A., Fuks, H., Lucena, C. J. P. Analysis and design of awareness elements in collaborative digital environments: a case study in the aulanet learning environment. In *Journal of Interactive Learning Research*, 14(3), pages 315-332, 2003.
- [17] Halliday, M. A. K., Hasan, R. Cohesion in English. London, UK: Longman, 1976.
- [18] Sacks, H., Schegloff, E. A., Jefferson, G. A simplest systematics for the organization of turn-taking for conversation. *Language*, 50(4), pages 696-735, 1974.
- [19] Oikarinen, J., Reed, D. Internet relay chat protocol. Rfc 1459: Network Working Group, 1993.
- [20] Viegas, F. B., Donath, J. S. Chat circles. In *Conference on Human Factors in Computing Systems*, Pittsburgh, PA, 1999.
- [21] Smith, M., Cadiz, J., Burkhalter, B. Conversation trees and threaded chats. In *ACM Conference on Computer-Supported Cooperative Work (CSCW)*, Philadelphia, PA, pages 97-105, 2000.
- [22] Pimentel, M. Hiperdiálogo: Ferramenta de bate-papo para diminuir a perda de co-texto. MSc Dissertation, Federal University of Rio de Janeiro, 2002.
- [23] Holmer, T., Lukosch, S., Kunz, V. Addressing co-text loss with multiple visualizations for chat messages. In *14th International Workshop, CRIWG 2008*, Omaha, Nebraska. pages 172-183, 2008.
- [24] Gerosa, M.A., Pimentel, M., Fuks, H., Lucena, C.J.P. Analyzing Discourse Structure to Coordinate Educational Forums. In *7th International Conference on Intelligent Tutoring Systems - ITS-2004*, Lecture Notes on Computer Science LNCS 3220, Maceió-AL-Brazil, pages 262-272, 2004.
- [25] Pimentel, M., Sampaio, F. F. Análise do bate-papo. In *XII Simpósio Brasileiro de Informática na Educação*, Vitória, Brazil, pages 545-549, 2001.
- [26] Vronay, D., Smith, M., Drucker, S. Alternative interfaces for chat. In *12th Annual ACM Symposium on User Interface Software and Technology*, Asheville, NC. pages 19-26, 1999.
- [27] Laufer, C. Fuks, H. ACCORD: Conversation Clichés for Cooperation. In *International Workshop on the Design of Cooperative Systems*, Juan-les-Pins, França, pages 351-369, 1995.
- [28] Raposo, A., Pimentel, M., Gerosa, M.A., Fuks, H., Lucena, C.J.P. Prescribing e-Learning Activities Using Workflow In *1st International Workshop on Computer Supported Activity Coordination - CSAC 2004*, April 13, Porto, Portugal, pages 71-80, 2004.
- [29] Pimentel, M., Fuks, H., Lucena, C. J. P. Mediated chat development process: Avoiding chat confusion on educational debates. In *International Conference of Computer Support for Collaborative Learning (CSCL 2005)*, Taipei, Taiwan. Proceedings pages. 499-503, 2005.